No. 8900144

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

King Agro, Inc.

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'K87'

In Testimony Whereof, *I have hereunto set my hand and caused the seal of the* Plant Variety Protection Office *to be affixed at the City of* Washington, D. C. *this* 31st *day of* July *in the year of our Lord one thousand nine hundred and ninety.*

Attest:

Kenneth A. Evans
Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Clayton Yeutter
Secretary of Agriculture

APPROVAL EXPIRES 2-28-88

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(Instructions on reverse)

FORM APPROVED: OMB NO. 0581-0055

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF APPLICANT(S)
~~KING GRAIN INC.~~ King Agro, Inc.

2. TEMPORARY DESIGNATION
KS872-11-9

3. VARIETY NAME
K87

4. ADDRESS *(Street and No. or R.F.D. No., City, State, and Zip Code)*
P.O. Box 69,
Blissfield, MI, U.S.A. 49228

5. PHONE *(Include area code)*
(517)486-4304

FOR OFFICIAL USE ONLY

PVPO NUMBER
8900144

6. GENUS AND SPECIES NAME
Glycine max

7. FAMILY NAME *(Botanical)*
Leguminosae

FILING
DATE: Apr. 4, 1989
TIME: 11:00 ☑ A.M. ☐ P.M.

8. KIND NAME
Soybeans

9. DATE OF DETERMINATION
1985

FEES RECEIVED
AMOUNT FOR FILING: $ 1800.00
DATE: Mar. 10, 1989
AMOUNT FOR CERTIFICATE: $ 200.00
DATE: July 12, 1990

10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION *(Corporation, partnership, association, etc.)*
Corporation

11. IF INCORPORATED, GIVE STATE OF INCORPORATION
New York

12. DATE OF INCORPORATION
December 10, 1982

13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS
Dr. Bernard M. Leese, Jr.,
Underwood Agribusiness Assoc.,
210 Kimblewick Dr.,
Silver Springs, MD, U.S.A. 20904
Telex: 296415
PHONE *(Include area code)*: (301)622-3757

14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED
- a. ☒ Exhibit A, Origin and Breeding History of the Variety *(See Section 52 of the Plant Variety Protection Act.)*
- b. ☒ Exhibit B, Novelty Statement.
- c. ☒ Exhibit C, Objective Description of Variety *(Request form from Plant Variety Protection Office.)*
- d. ☐ Exhibit D, Additional Description of Variety.
- e. ☒ Exhibit E, Statement of the Basis of Applicant's Ownership.

15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? *(See Section 83(a) of the Plant Variety Protection Act.)* ☐ Yes *(If "Yes," answer items 16 and 17 below)* ☒ No

16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?
☐ Yes ☒ No

17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED?
☐ Foundation ☐ Registered ☐ Certified

18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S.?
☐ Yes *(If "Yes," give date)*
☒ No

19. HAS THE VARIETY BEEN RELEASED, OFFERED FOR SALE, OR MARKETED IN THE U.S. OR OTHER COUNTRIES?
☐ Yes *(If "Yes," give names of countries and dates)*
☒ No

20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable.

The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act.

Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

SIGNATURE OF APPLICANT	DATE
Andy King President	Feb 28 / 89
SIGNATURE OF APPLICANT	DATE

FORM LS-470 (3-86) *Edition of 7-84 obsolete.*

1

EXHIBIT 'A'

Origin and Breeding History of the Variety

1) K87 was developed by KING AGRO, a division of KINGROUP INC., Chatham, Ontario. This variety originated from a hand-pollinated cross of B216R x T215 made in 1980. The F_1, F_2, F_5, and F_6 generations were grown in Ontario and the F_3 and F_4 grown in Belize, Central America. Early generations were advanced using a modified single seed descent technique. K87 was F_6 derived and was yield tested in 1987. The variety was selected for small seed size and high yield.

2) In 1983, single plants of the variety were selected and grown in a winter nursery in Chile (1983-1984). Rows conforming to a standard were harvested and bulked to establish breeder seed. The genetic make-up of the variety was uniform and stable in subsequent generations.

3) K87 was placed in yield trials in 1987. Data is attached.

EXHIBIT 'B'

Novelty is based on the unique combination of the following characteristics:

K87 is a small-seeded cultivar most similar to NattoKing K86 except K87 is seven days later, 3 cm shorter, 1.2 g/100 seeds lighter and 302 kg/ha higher yielding than NattoKing K86. Its small seed size makes it very desirable for the Natto food market in Japan.

King Agro Performance Data - 1987

Cultivar	Maturity (days)	Plant Ht.(cm)	Seed size (g/100 seeds)	Yield (kg/ha)
K87	110	72	8.3	3239
NattoKing K86	103	75	9.5	2937

FORM APPROVED: OMB NO. 0581-0055

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

EXHIBIT C
(Soybean)

OBJECTIVE DESCRIPTION OF VARIETY
SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
KING GRAIN INC.	KS872-11-9	K87

ADDRESS *(Street and No., or R.F.D. No., City, State, and Zip Code)*

P.O. Box 69,
Blissfield, MI U.S.A. 49228

FOR OFFICIAL USE ONLY

PVPO NUMBER: 8900144

Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g., [0][9]). Starred characters ★ are considered fundamental to an adequate soybean variety description. Other characters should be described when information is available.

1. SEED SHAPE:

[1]



1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)
2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)
4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)

★ **2. SEED COAT COLOR: (Mature Seed)**

[1] 1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Other *(Specify)* _____

3. SEED COAT LUSTER: (Mature Hand Shelled Seed)

[1] 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17')

★ **4. SEED SIZE: (Mature Seed)**

[0][8] Grams per 100 seeds

★ **5. HILUM COLOR: (Mature Seed)**

[2] 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect Black 6 = Black 7 = Other *(Specify)* _____

★ **6. COTYLEDON COLOR: (Mature Seed)**

[1] 1 = Yellow 2 = Green

★ **7. SEED PROTEIN PEROXIDASE ACTIVITY:**

[1] 1 = Low 2 = High

★ **8. SEED PROTEIN ELECTROPHORETIC BAND:**

[ ] 1 = Type A ($SP1^a$) 2 = Type B ($SP1^b$)

★ **9. HYPOCOTYL COLOR:**

[1] 1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')
4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')

★ **10. LEAFLET SHAPE:**

[3] 1 = Lanceolate 2 = Oval 3 = Ovate 4 = Other *(Specify)* _____

11. LEAFLET SIZE:

[2] 1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')

12. LEAF COLOR:

[2] 1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')

★ **13. FLOWER COLOR:**

[1] 1 = White 2 = Purple 3 = White with purple throat

★ **14. POD COLOR:** 1=TAN

4-Apr-1989 [1] 1 = Tan 2 = Brown 3 = Black

★ **15. PLANT PUBESCENCE COLOR:**

[1] 1 = Gray 2 = Brown (Tawny)

16. PLANT TYPES:

[2] 1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')

★ **17. PLANT HABIT:**

[3] 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')

★ **18. MATURITY GROUP:**

[0][4] 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X

★ **19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)**

BACTERIAL DISEASES:

★ [0] Bacterial Pustule *(Xanthomonas phaseoli* var. *sojensis)*

★ [0] Bacterial Blight *(Pseudomonas glycinea)*

★ [0] Wildfire *(Pseudomonas tabaci)*

FUNGAL DISEASES:

★ [0] Brown Spot *(Septoria glycines)*

Frogeye Leaf Spot *(Cercospora sojina)*

★ [0] Race 1 [ ] Race 2 [ ] Race 3 [ ] Race 4 [ ] Race 5 [ ] Other *(Specify)*

[0] Target Spot *(Corynespora cassiicola)*

[0] Downy Mildew *(Peronospora trifoliorum* var. *manshurica)*

[0] Powdery Mildew *(Microsphaera diffusa)*

★ [0] Brown Stem Rot *(Cephalosporium gregatum)*

[0] Stem Canker *(Diaporthe phaseolorum* var. *caulivora)*

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)

FUNGAL DISEASES: (Continued)

★ [0] Pod and Stem Blight *(Diaporthe phaseolorum* var; *sojae)*

[0] Purple Seed Stain *(Cercospora kikuchii)*

[0] Rhizoctonia Root Rot *(Rhizoctonia solani)*

Phytophthora Rot *(Phytophthora megasperma* var. *sojae)*

★ [1] Race 1 [1] Race 2 [1] Race 3 [1] Race 4 [1] Race 5 [1] Race 6 [1] Race 7

[1] Race 8 [1] Race 9 [ ] Other *(Specify)* _____

VIRAL DISEASES:

[0] Bud Blight (Tobacco Ringspot Virus)

[0] Yellow Mosaic (Bean Yellow Mosaic Virus)

★ [0] Cowpea Mosaic (Cowpea Chlorotic Virus)

[0] Pod Mottle (Bean Pod Mottle Virus)

★ [0] Seed Mottle (Soybean Mosaic Virus)

NEMATODE DISEASES:

Soybean Cyst Nematode *(Heterodera glycines)*

★ [1] Race 1 [1] Race 2 [1] Race 3 [1] Race 4 [ ] Other *(Specify)* _____

[0] Lance Nematode *(Hoplolaimus Colombus)*

★ [0] Southern Root Knot Nematode *(Meloidogyne incognita)*

★ [0] Northern Root Knot Nematode *(Meloidogyne Hapla)*

[0] Peanut Root Knot Nematode *(Meloidogyne arenaria)*

[0] Reniform Nematode *(Rotylenchulus reniformis)*

[0] OTHER DISEASE NOT ON FORM *(Specify):* _____

20. PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

★ [0] Iron Chlorosis on Calcareous Soil

[ ] Other *(Specify)* _____

21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

[0] Mexican Bean Beetle *(Epilachna varivestis)*

[0] Potato Leaf Hopper *(Empoasca fabae)*

[ ] Other *(Specify)* _____

22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.

CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	NattoKing K86	Seed Coat Luster	NattoKing K86
Leaf Shape	" "	Seed Size	" "
Leaf Color	" "	Seed Shape	" "
Leaf Size	" "	Seedling Pigmentation	" "

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100 SEEDS	NO. SEEDS/ POD
				CM Width	CM Length	% Protein	% Oil		
Submitted	110	2.1	72	6.9	10.8	-	-	8.3	2.7
attoKing K86 Name of Similar Variety	103	1.3	75	6.7	10.5	-	-	9.5	2.8

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A_2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

8900144

King Agro Performance Data

Centralia, ON - 1987

Variety	Yield (kg/ha)	Maturity (days)	Seed Size (g/100 seeds)	Lodging Score† (1-5)	Plant Height (cm)	Seed Quality‡ (1-5)
K87	3239	110	8.3	2.1	72	1.4
NattoKing K86	2937	103	9.5	1.3	75	1.5
Canatto	2782	101	10.8	1.3	84	1.5

† 1-5: 1 = no lodging, 5 = severe lodging.

‡ 1-5: 1 = very good, 5= very poor.

8900144

EXHIBIT 'E'

Basis of Applicant's Ownership

The breeder of this soybean variety, Norman R. Bradner, is an employee of King Agro, a division of Kingroup Inc., which is a wholly owned subsiduary of Sanofi Inc. King Grain Inc. is also a wholly owned subsiduary of Sanofi Inc.